

BLM Special Status Plants under the jurisdiction of the California State Office as of December 13, 2010.

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|-----------------------------|----------------|----------------|--------------------|----------------------------------|
| <i>Abronia umbellata</i> var. <i>breviflora</i> | pink sand-verbena | Vascular Plant | Nyctaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Abronia villosa</i> var. <i>aurita</i> | chaparral sand-verbena | Vascular Plant | Nyctaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Acanthomintha ilicifolia</i> | San Diego thornmint | Vascular Plant | Lamiaceae | Federal Threatened | Known on BLM lands |
| <i>Acanthoscyphus parishii</i> var. <i>goodmaniana</i> | Cushenberry oxytheca | Vascular Plant | Polygonaceae | Federal Endangered | Known on BLM lands |
| <i>Acmispon argyraeus</i> var. <i>multicaulis</i> | scrub lotus | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| <i>Acmispon rubriflorus</i> | red-flowered lotus | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Agave utahensis</i> var. <i>eborispina</i> | ivory-spined agave | Vascular Plant | Agavaceae | BLM Sensitive | Known on BLM lands |
| <i>Agrostis blasdalei</i> | Blasdale's bent grass | Vascular Plant | Poaceae | BLM Sensitive | Known on BLM lands |
| <i>Agrostis hooveri</i> | Hoover's bent grass | Vascular Plant | Poaceae | BLM Sensitive | Known on BLM lands |
| <i>Albatrellus caeruleoporus</i> | blue-pored polypore | Fungus | Albatrellaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Albatrellus ellisii</i> | greening goat's foot | Fungus | Albatrellaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Albatrellus flettii</i> | blue-capped polypore | Fungus | Albatrellaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Allium hickmanii</i> | Hickman's onion | Vascular Plant | Alliaceae | BLM Sensitive | Known on BLM lands |
| <i>Allium jepsonii</i> | Jepson's onion | Vascular Plant | Alliaceae | BLM Sensitive | Known on BLM lands |
| <i>Allium munzii</i> | Munz's onion | Vascular Plant | Alliaceae | Federal Endangered | Suspected on BLM lands |
| <i>Allium shevockii</i> | Spanish Needle onion | Vascular Plant | Alliaceae | BLM Sensitive | Known on BLM lands |
| <i>Allium tuolumnense</i> | Rawhide Hill onion | Vascular Plant | Alliaceae | BLM Sensitive | Known on BLM lands |
| <i>Ambrosia pumila</i> | San Diego ambrosia | Vascular Plant | Asteraceae | Federal Endangered | Suspected on BLM lands |
| <i>Amsinckia lunaris</i> | bent-flowered fiddleneck | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| <i>Ancistrocarphus keilii</i> | Santa Ynez groundstar | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Anisocarpus scabridus</i> | scabrid alpine tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Arabis macdonaldiana</i> | McDonald's rock-cress | Vascular Plant | Brassicaceae | Federal Endangered | Known on BLM lands |
| <i>Arctostaphylos canescens</i> subsp. <i>sonomensis</i> | Sonoma canescent manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| <i>Arctostaphylos cruzensis</i> | Arroya de La Cruz manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Arctostaphylos gabilanensis</i> | Gabilan Mountains manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Arctostaphylos hookeri</i> subsp. <i>hookeri</i> | Hooker's manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| <i>Arctostaphylos klamathensis</i> | Klamath manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Arctostaphylos montereyensis</i> | Monterey manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| <i>Arctostaphylos morroensis</i> | Morro manzanita | Vascular Plant | Ericaceae | Federal Threatened | Known on BLM lands |
| <i>Arctostaphylos myrtifolia</i> | lone manzanita | Vascular Plant | Ericaceae | Federal Threatened | Known on BLM lands |
| <i>Arctostaphylos nissenana</i> | Nissenan manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| <i>Arctostaphylos otayensis</i> | Otay manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|-----------------------------|----------------|--------------|--------------------|----------------------------------|
| Arctostaphylos pajaroensis | Pajaro manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| Arctostaphylos pilosula | Santa Margarita manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| Arctostaphylos pumila | sandmat manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| Arctostaphylos rudis | sand mesa manzanita | Vascular Plant | Ericaceae | BLM Sensitive | Known on BLM lands |
| Aristocapsa insignis | Indian Valley spineflower | Vascular Plant | Polygonaceae | BLM Sensitive | Suspected on BLM lands |
| Astragalus agnicidus | Humboldt milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| Astragalus agrestis | field milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus albens | Cushenberry milk-vetch | Vascular Plant | Fabaceae | Federal Endangered | Known on BLM lands |
| Astragalus anxius | Ash Valley milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus argophyllus var. argophyllus | silverleaf milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus atratus var. mensanus | Darwin Mesa milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus brauntonii | Braunton's milk-vetch | Vascular Plant | Fabaceae | Federal Endangered | Suspected on BLM lands |
| Astragalus deanei | Deane's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus douglasii var. perstrictus | Jacumba milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus ertterae | Walker Pass milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus funereus | black milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus hornii var. hornii | Horn's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus jaegerianus | Lane Mtn. milk-vetch | Vascular Plant | Fabaceae | Federal Endangered | Known on BLM lands |
| Astragalus johannis-howellii | Long Valley milkvetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus lemmonii | Lemmon's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| Astragalus lentiformis | lens-pod milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus lentiginosus var. coachellae | Coachella Valley milk-vetch | Vascular Plant | Fabaceae | Federal Endangered | Known on BLM lands |
| Astragalus lentiginosus var. piscinensis | Fish Slough milk-vetch | Vascular Plant | Fabaceae | Federal Threatened | Known on BLM lands |
| Astragalus magdalenae var. peirsonii | Peirson's milk-vetch | Vascular Plant | Fabaceae | Federal Threatened | Known on BLM lands |
| Astragalus mojavensis var. hemigyris | curved-pod milkvetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus monoensis | Mono milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus oocarpus | San Diego rattleweed | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus oophorus var. lavinii | Lavin's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus pseudiodanthus | Tonopah milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus pulsiferae var. pulsiferae | Pulsifer's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus pulsiferae var. suksdorfii | Suksdorf's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| Astragalus pycnostachyus var. pycnostachyus | coastal marsh milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus rattanii var. jepsonianus | Jepson's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Astragalus shevockii | Shevock's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|-------------------------------|----------------|----------------|--------------------|----------------------------------|
| <i>Astragalus tener</i> var. <i>ferrisiae</i> | Ferris's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Astragalus tiehmii</i> | Tiehm's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| <i>Astragalus tricarinatus</i> | triple-ribbed milkvetch | Vascular Plant | Fabaceae | Federal Endangered | Known on BLM lands |
| <i>Astragalus webberi</i> | Webber's milk-vetch | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Atriplex cordulata</i> | heart-leaved saltbush | Vascular Plant | Chenopodiaceae | BLM Sensitive | Known on BLM lands |
| <i>Atriplex coronata</i> var. <i>notatior</i> | San Jacinto Valley crownscale | Vascular Plant | Chenopodiaceae | Federal Endangered | Suspected on BLM lands |
| <i>Atriplex coronata</i> var. <i>vallicola</i> | Lost Hills saltbush | Vascular Plant | Chenopodiaceae | BLM Sensitive | Known on BLM lands |
| <i>Atriplex erecticaulis</i> | Earlimart orache | Vascular Plant | Chenopodaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Atriplex subtilis</i> | subtle orache | Vascular Plant | Chenopodaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Baccharis vanessae</i> | Encinitas coyotebrush | Vascular Plant | Asteraceae | Federal Threatened | Known on BLM lands |
| <i>Balsamorhiza lanata</i> | woolly balsamroot | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Balsamorhiza macrolepis</i> | big-scale balsamroot | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Balsamorhiza sericea</i> | silky balsamroot | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Berberis harrisoniana</i> | Kofa Mountain barberry | Vascular Plant | Berberidaceae | BLM Sensitive | Known on BLM lands |
| <i>Berberis nevinii</i> | Nevin's barberry | Vascular Plant | Berberidaceae | Federal Endangered | Known on BLM lands |
| <i>Bloomeria clevelandii</i> | San Diego goldenstar | Vascular Plant | Themidaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Boechera bodiensis</i> | Bodie Hills rock cress | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Boechera lincolnensis</i> | Lincoln rock cress | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Boletus haematinus</i> | red-pored bolete | Fungus | Boletaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Brodiaea filifolia</i> | thread-leaved brodiaea | Vascular Plant | Themidaceae | Federal Threatened | Suspected on BLM lands |
| <i>Brodiaea insignis</i> | Kaweah brodiaea | Vascular Plant | Themidaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Brodiaea orcuttii</i> | Orcutt's brodiaea | Vascular Plant | Themidaceae | BLM Sensitive | Known on BLM lands |
| <i>Brodiaea rosea</i> | Indian Valley brodiaea | Vascular Plant | Themidaceae | BLM Sensitive | Known on BLM lands |
| <i>Bryoria pseudocapillaris</i> | horsehair lichen | Lichen | Parmeliaceae | BLM Sensitive | Known on BLM lands |
| <i>Bryoria spiralifera</i> | horsehair lichen | Lichen | Parmeliaceae | BLM Sensitive | Known on BLM lands |
| <i>Bryoria tortuosa</i> | yellow-twist horsehair | Lichen | Parmeliaceae | BLM Sensitive | Known on BLM lands |
| <i>Buxbaumia viridis</i> | green bug moss | Bryophyte | Buxbaumiaceae | BLM Sensitive | Known on BLM lands |
| <i>Calamagrostis foliosa</i> | leafy reedgrass | Vascular Plant | Poaceae | BLM Sensitive | Known on BLM lands |
| <i>California macrophylla</i> | round-leaved filaree | Vascular Plant | Geraniaceae | BLM Sensitive | Known on BLM lands |
| <i>Calochortus clavatus</i> var. <i>avius</i> | Pleasant Valley mariposa lily | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calochortus dunnii</i> | Dunn's mariposa | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Calochortus excavatus</i> | Inyo mariposa | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Calochortus greenei</i> | Greene's mariposa | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Calochortus longebarbatus</i> var. <i>longebarbatus</i> | long-haired star-tulip | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|--------------------------------|----------------|----------------|--------------------|----------------------------------|
| <i>Calochortus monanthus</i> | Shasta River mariposa | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calochortus obispoensis</i> | San Luis mariposa lily | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calochortus persistens</i> | Siskiyou mariposa lily | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calochortus simulans</i> | San Luis Obispo mariposa lily | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calochortus striatus</i> | alkali mariposa lily | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Calochortus westonii</i> | Shirley Meadows star-tulip | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Calycadenia hooveri</i> | Hoover's calycadenia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calycadenia micrantha</i> | small-flowered calycadenia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calycadenia villosa</i> | dwarf calycadenia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Calyptridium parryi</i> var. <i>hesseae</i> | Santa Cruz Mountains pussypaws | Vascular Plant | Montiaceae | BLM Sensitive | Known on BLM lands |
| <i>Calyptridium pulchellum</i> | Mariposa pussypaws | Vascular Plant | Montiaceae | Federal Threatened | Suspected on BLM lands |
| <i>Calystegia collina</i> subsp. <i>tridactylosa</i> | three-fingered morning-glory | Vascular Plant | Convolvulaceae | BLM Sensitive | Known on BLM lands |
| <i>Calystegia stebbinsii</i> | Stebbins' morning glory | Vascular Plant | Convolvulaceae | Federal Endangered | Known on BLM lands |
| <i>Camissonia benitensis</i> | San Benito evening-primrose | Vascular Plant | Onagraceae | Federal Threatened | Known on BLM lands |
| <i>Camissonia hardhamiae</i> | Hardham's evening-primrose | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Camissonia integrifolia</i> | Kern River evening-primrose | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Campanula californica</i> | swamp harebell | Vascular Plant | Campanulaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Campanula exigua</i> | chaparral harebell | Vascular Plant | Campanulaceae | BLM Sensitive | Known on BLM lands |
| <i>Campanula sharsmithiae</i> | Sharsmith's harebell | Vascular Plant | Campanulaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Campanula shetleri</i> | Castle Crags harebell | Vascular Plant | Campanulaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Carex klamathensis</i> | Klamath sedge | Vascular Plant | Cyperaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Carex obispoensis</i> | San Luis Obispo sedge | Vascular Plant | Cyperaceae | BLM Sensitive | Known on BLM lands |
| <i>Carlquistia muirii</i> | Muir's raillardella | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Carpenteria californica</i> | tree-anemone | Vascular Plant | Hydrangeaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Castilleja ambigua</i> subsp. <i>humboldtensis</i> | Humboldt Bay owl's-clover | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| <i>Castilleja campestris</i> subsp. <i>succulenta</i> | succulent owl's clover | Vascular Plant | Orobanchaceae | Federal Threatened | Known on BLM lands |
| <i>Castilleja densiflora</i> subsp. <i>obispoensis</i> | Obispo Indian paintbrush | Vascular Plant | Orobanchaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Castilleja gleasonii</i> | Mt. Gleason Indian paintbrush | Vascular Plant | Orobanchaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Castilleja mendocinensis</i> | Mendocino Coast paintbrush | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| <i>Castilleja rubicundula</i> subsp. <i>rubicundula</i> | pink creamsacs | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| <i>Caulanthus californicus</i> | California jewelflower | Vascular Plant | Brassicaceae | Federal Endangered | Known on BLM lands |
| <i>Caulanthus lemmonii</i> | Lemmon's jewelflower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Ceanothus confusus</i> | Rincon Ridge ceanothus | Vascular Plant | Rhamnaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Ceanothus cyaneus</i> | Lakeside ceanothus | Vascular Plant | Rhamnaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|----------------------------|----------------|---------------|--------------------|----------------------------------|
| <i>Ceanothus divergens</i> | Calistoga ceanothus | Vascular Plant | Rhamnaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Ceanothus ferrisiae</i> | coyote ceanothus | Vascular Plant | Rhamnaceae | Federal Endangered | Suspected on BLM lands |
| <i>Ceanothus hearstiorum</i> | Hearst's ceanothus | Vascular Plant | Rhamnaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Ceanothus roderickii</i> | Pine Hill ceanothus | Vascular Plant | Rhamnaceae | Federal Endangered | Known on BLM lands |
| <i>Centromadia parryi</i> subsp. <i>congdonii</i> | Congdon's tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Centromadia parryi</i> subsp. <i>parryi</i> | pappose tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Chaenactis suffrutescens</i> | Shasta chaenactis | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Chamaesyce hooveri</i> | Hoover's spurge | Vascular Plant | Euphorbiaceae | Federal Threatened | Suspected on BLM lands |
| <i>Chamaesyce ocellata</i> subsp. <i>rattanii</i> | Stony Creek spurge | Vascular Plant | Euphorbiaceae | BLM Sensitive | Known on BLM lands |
| <i>Chamaesyce platysperma</i> | flat-seeded spurge | Vascular Plant | Euphorbiaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Chlorogalum grandiflorum</i> | Red Hills soaproot | Vascular Plant | Agavaceae | BLM Sensitive | Known on BLM lands |
| <i>Chlorogalum pomeridianum</i> var. <i>minus</i> | dwarf soaproot | Vascular Plant | Agavaceae | BLM Sensitive | Known on BLM lands |
| <i>Chlorogalum purpureum</i> var. <i>purpureum</i> | purple amole | Vascular Plant | Agavaceae | Federal Threatened | Suspected on BLM lands |
| <i>Choiromyces venosus</i> | hypogeous truffle | Fungus | Tuberaceae | BLM Sensitive | Known on BLM lands |
| <i>Chorizanthe biloba</i> var. <i>immemora</i> | San Benito spineflower | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Chorizanthe breweri</i> | Brewer's spineflower | Vascular Plant | Polygonaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Chorizanthe orcuttiana</i> | Orcutt spineflower | Vascular Plant | Polygonaceae | Federal Endangered | Suspected on BLM lands |
| <i>Chorizanthe parryi</i> var. <i>parryi</i> | Parry's spineflower | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Chorizanthe pungens</i> var. <i>pungens</i> | Monterey spineflower | Vascular Plant | Polygonaceae | Federal Threatened | Known on BLM lands |
| <i>Chorizanthe rectispina</i> | straight-awned spineflower | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Chorizanthe robusta</i> var. <i>robusta</i> | robust spineflower | Vascular Plant | Polygonaceae | Federal Endangered | Suspected on BLM lands |
| <i>Cirsium ciliolatum</i> | Ashland thistle | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Cirsium crassicaule</i> | slough thistle | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Cirsium fontinale</i> var. <i>campylon</i> | Mt. Hamilton thistle | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Cirsium fontinale</i> var. <i>obispoense</i> | Chorro Creek bog thistle | Vascular Plant | Asteraceae | Federal Endangered | Suspected on BLM lands |
| <i>Cirsium loncholepis</i> | La Graciosa thistle | Vascular Plant | Asteraceae | Federal Endangered | Suspected on BLM lands |
| <i>Cirsium rhotophilum</i> | surf thistle | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Clarkia australis</i> | small southern clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Clarkia biloba</i> subsp. <i>australis</i> | Mariposa clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Known on BLM lands |
| <i>Clarkia biloba</i> subsp. <i>brandegeae</i> | Brandegee's clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Known on BLM lands |
| <i>Clarkia borealis</i> subsp. <i>arida</i> | Shasta clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Known on BLM lands |
| <i>Clarkia borealis</i> subsp. <i>borealis</i> | northern clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Clarkia gracilis</i> subsp. <i>albicaulis</i> | white-stemmed clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Known on BLM lands |
| <i>Clarkia mildrediae</i> subsp. <i>mildrediae</i> | Mildred's clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|--------------------------|----------------|------------------|--------------------|----------------------------------|
| Clarkia mosquinii | Mosquin's clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Known on BLM lands |
| Clarkia rostrata | beaked clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Known on BLM lands |
| Clarkia springvillensis | Springville clarkia | Vascular Plant | Onagraceae | Federal Threatened | Suspected on BLM lands |
| Clarkia tembloriensis subsp. calientensis | Vasek's clarkia | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| Clavariadelphus ligula | strap coral | Fungus | Gomphaceae | BLM Sensitive | Suspected on BLM lands |
| Clavulina castanopes var. lignicola | 'hairy-stemmed coral' | Fungus | Clavulinaceae | BLM Sensitive | Suspected on BLM lands |
| Clitocybe subditopoda | 'little brown mushroom' | Fungus | Tricholomataceae | BLM Sensitive | Known on BLM lands |
| Collinsia antonina | San Antonio collinsia | Vascular Plant | Plantaginaceae | BLM Sensitive | Suspected on BLM lands |
| Cordyceps ophioglossoides | truffle eater | Fungus | Clavicipitaceae | BLM Sensitive | Suspected on BLM lands |
| Cordylanthus maritimus subsp. palustris | Pt. Reyes birds-beak | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| Cordylanthus mollis subsp. hispidus | hispid bird's-beak | Vascular Plant | Orobanchaceae | BLM Sensitive | Suspected on BLM lands |
| Cordylanthus nidularius | Mt. Diablo bird's-beak | Vascular Plant | Orobanchaceae | BLM Sensitive | Suspected on BLM lands |
| Cordylanthus rigidus subsp. littoralis | seaside bird's-beak | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| Cordylanthus tecopensis | Tecopa bird's-beak | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| Cordylanthus tenuis subsp. pallescens | pallid bird's-beak | Vascular Plant | Orobanchaceae | BLM Sensitive | Suspected on BLM lands |
| Croton wigginsii | Wiggins' croton | Vascular Plant | Euphorbiaceae | BLM Sensitive | Known on BLM lands |
| Cryptantha clevelandii var. dissita | serpentine cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Suspected on BLM lands |
| Cryptantha clokeyi | Clokey's cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Suspected on BLM lands |
| Cryptantha crinita | silky cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Cryptantha excavata | deep-scarred cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Cryptantha ganderi | Gander's cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Suspected on BLM lands |
| Cryptantha mariposae | Mariposa cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Cryptantha roosiorum | bristlecone cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Cryptantha schoolcraftii | Schoolcraft's cryptantha | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Cusickiella quadricostata | Bodie Hills cusickiella | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| Cylindropuntia munzii | Munz cholla | Vascular Plant | Cactaceae | BLM Sensitive | Known on BLM lands |
| Cymopterus deserticola | desert cymopterus | Vascular Plant | Apiaceae | BLM Sensitive | Known on BLM lands |
| Cymopterus ripleyi var. saniculoides | Ripley's cymopterus | Vascular Plant | Apiaceae | BLM Sensitive | Known on BLM lands |
| Cypripedium fasciculatum | clustered lady's slipper | Vascular Plant | Orchidaceae | BLM Sensitive | Known on BLM lands |
| Cypripedium montanum | mountain lady's slipper | Vascular Plant | Orchidaceae | BLM Sensitive | Known on BLM lands |
| Dalea ornata | ornate dalea | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Dedeckera eurekaensis | July gold | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| Deinandra arida | Red Rock tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Deinandra conjugens | Otay tarplant | Vascular Plant | Asteraceae | Federal Threatened | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|----------------------------|----------------|------------------|--------------------|----------------------------------|
| Deinandra floribunda | Tecate tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Deinandra halliana | Hall's tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Deinandra increscens subsp. villosa | Gaviota tarplant | Vascular Plant | Asteraceae | Federal Endangered | Suspected on BLM lands |
| Deinandra minthornii | Santa Suzana tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Deinandra mohavensis | Mojave tarplant | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Delphinium hesperium subsp. cuyamaceae | Cuyamaca larkspur | Vascular Plant | Ranunculaceae | BLM Sensitive | Suspected on BLM lands |
| Delphinium parryi subsp. blochamaniae | dune larkspur | Vascular Plant | Ranunculaceae | BLM Sensitive | Suspected on BLM lands |
| Delphinium purpusii | Kern County Larkspur | Vascular Plant | Ranunculaceae | BLM Sensitive | Known on BLM lands |
| Delphinium recurvatum | recurved larkspur | Vascular Plant | Ranunculaceae | BLM Sensitive | Known on BLM lands |
| Delphinium umbraculorum | umbrella larkspur | Vascular Plant | Ranunculaceae | BLM Sensitive | Suspected on BLM lands |
| Dendroscocaulon intricatum | northern moon shrub | Lichen | Lobariaceae | BLM Sensitive | Known on BLM lands |
| Dendrocollybia racemosa | no common name | Fungus | Tricholomataceae | BLM Sensitive | Known on BLM lands |
| Dermocybe humboldtensis | 'little green mushroom' | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| Dieteria asteroides var. lagunensis | Laguna Mtns. aster | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Dithyrea maritima | beach spectaclepod | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| Dodecahema leptoceras | slender-horned spineflower | Vascular Plant | Polygonaceae | Federal Endangered | Known on BLM lands |
| Dudleya abramsii subsp. murina | mouse-leaved dudleya | Vascular Plant | Crassulaceae | BLM Sensitive | Suspected on BLM lands |
| Dudleya cymosa subsp. marcescens | marcescent dudleya | Vascular Plant | Crassulaceae | Federal Threatened | Suspected on BLM lands |
| Dudleya multicaulis | many-stemmed dudleya | Vascular Plant | Crassulaceae | BLM Sensitive | Known on BLM lands |
| Dudleya saxosa subsp. saxosa | Panamint dudleya | Vascular Plant | Crassulaceae | BLM Sensitive | Known on BLM lands |
| Dudleya variegata | variegated dudleya | Vascular Plant | Crassulaceae | BLM Sensitive | Known on BLM lands |
| Echinocereus engelmannii var. howei | Howe's hedgehog cactus | Vascular Plant | Cactaceae | BLM Sensitive | Known on BLM lands |
| Enceliopsis covillei | Panamint daisy | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Entoloma nitidum | 'indigo entoloma' | Fungus | Entolomataceae | BLM Sensitive | Known on BLM lands |
| Epilobium oreganum | Oregon fireweed | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| Epilobium siskiyouense | Siskiyou fireweed | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| Eremalche kernensis | Kern mallow | Vascular Plant | Malvaceae | Federal Endangered | Known on BLM lands |
| Eriastrum brandegeae | Brandegee's eriastrum | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Eriastrum densifolium subsp. sanctorum | Santa Ana River woolstar | Vascular Plant | Polemoniaceae | Federal Endangered | Known on BLM lands |
| Eriastrum harwoodii | Harwood's eriastrum | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Eriastrum hooveri | Hoover's woolstar | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Eriastrum luteum | yellow-flowered eriastrum | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Eriastrum tracyi | Tracy's eriastrum | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Ericameria fasciculata | Eastwood's goldenbush | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|----------------------------------|----------------|--------------|--------------------|----------------------------------|
| <i>Ericameria gilmanii</i> | Gilman's goldenbush | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Ericameria palmeri</i> var. <i>palmeri</i> | Palmer's goldernbush | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Erigeron aequifolius</i> | Hall's daisy | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Erigeron blochmaniae</i> | Blochman's leafy daisy | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Erigeron multiceps</i> | Kern River daisy | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Erigeron parishii</i> | Parish's daisy | Vascular Plant | Asteraceae | Federal Threatened | Known on BLM lands |
| <i>Eriodictyon altissimum</i> | Indian Knob mountainbalm | Vascular Plant | Boraginaceae | Federal Endangered | Suspected on BLM lands |
| <i>Eriogonum apricum</i> var. <i>apricum</i> | lone buckwheat | Vascular Plant | Polygonaceae | Federal Endangered | Known on BLM lands |
| <i>Eriogonum bifurcatum</i> | forked buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum contiguum</i> | Reveal's buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum crosbyae</i> | Crosby's buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum eremicola</i> | Wildrose Canyon buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum hoffmannii</i> var. <i>hoffmannii</i> | Hoffmann's buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum kelloggii</i> | Red Mountain buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum kennedyi</i> var. <i>pinicola</i> | Kern buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum mensicola</i> | Pinyon Mesa buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum microthecum</i> var. <i>panamintense</i> | Panamint Mountains buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum microthecum</i> var. <i>schoolcraftii</i> | Schoolcraft's wild buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum nervulosum</i> | Snow Mtn. buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum nudum</i> var. <i>murinum</i> | mouse buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum ovalifolium</i> var. <i>vineum</i> | Cushenberry buckwheat | Vascular Plant | Polygonaceae | Federal Endangered | Known on BLM lands |
| <i>Eriogonum prociduum</i> | prostrate buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum temblorense</i> | Temblor buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum thornei</i> | Thorne's buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| <i>Eriogonum umbellatum</i> var. <i>glaberrimum</i> | green buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Eriogonum ursinum</i> var. <i>erubescens</i> | blushing wild buckwheat | Vascular Plant | Polygonaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Eriophyllum mohavense</i> | Barstow woolly-sunflower | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Erysimum ammophilum</i> | coast wallflower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Erysimum menziesii</i> subsp. <i>eurekaense</i> | Humboldt Bay wallflower | Vascular Plant | Brassicaceae | Federal Endangered | Known on BLM lands |
| <i>Erythronium citrinum</i> var. <i>roderickii</i> | Scott Mtn. fawn lily | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Erythronium tuolumnense</i> | Tuolumne fawn-lily | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Eschscholzia minutiflora</i> subsp. <i>twisselmannii</i> | Red Rock poppy | Vascular Plant | Papaveraceae | BLM Sensitive | Known on BLM lands |
| <i>Eschscholzia rhombipetala</i> | diamond-petaled California poppy | Vascular Plant | Papaveraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Fremontodendron decumbens</i> | Pine Hill flannelbush | Vascular Plant | Malvaceae | Federal Endangered | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|---------------------------|----------------|------------------|--------------------|----------------------------------|
| <i>Fremontodendron mexicanum</i> | Mexican flannelbush | Vascular Plant | Malvaceae | Federal Endangered | Known on BLM lands |
| <i>Fritillaria falcata</i> | talus fritillary | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Fritillaria gentneri</i> | Gentner's fritillaria | Vascular Plant | Liliaceae | Federal Endangered | Known on BLM lands |
| <i>Fritillaria ojaiensis</i> | Ojai fritillary | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Fritillaria pluriflora</i> | adobe-lily | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Fritillaria striata</i> | striped adobe-lily | Vascular Plant | Liliaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Fritillaria viridea</i> | San Benito fritillary | Vascular Plant | Liliaceae | BLM Sensitive | Known on BLM lands |
| <i>Galium angustifolium</i> subsp. <i>onycense</i> | Onyx peak bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Known on BLM lands |
| <i>Galium californicum</i> subsp. <i>primum</i> | Alvin Meadow bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Galium californicum</i> subsp. <i>sierrae</i> | El Dorado bedstraw | Vascular Plant | Rubiaceae | Federal Endangered | Known on BLM lands |
| <i>Galium glabrescens</i> subsp. <i>modocense</i> | Modoc bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Known on BLM lands |
| <i>Galium grande</i> | San Gabriel bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Galium hardhamiae</i> | Hardham's bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Known on BLM lands |
| <i>Galium hilendiae</i> subsp. <i>kingstonense</i> | Kingston bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Known on BLM lands |
| <i>Galium serpenticum</i> subsp. <i>scotticum</i> | Scott Mtn. bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Known on BLM lands |
| <i>Galium serpenticum</i> subsp. <i>warnerense</i> | Warner Mtns. bedstraw | Vascular Plant | Rubiaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Gentiana setigera</i> | Mendocino gentian | Vascular Plant | Gentianaceae | BLM Sensitive | Known on BLM lands |
| <i>Gilia millefoliata</i> | dark-eyed gilia | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| <i>Gilia tenuiflora</i> subsp. <i>arenaria</i> | sand gilia | Vascular Plant | Polemoniaceae | Federal Endangered | Known on BLM lands |
| <i>Glossopetalon pungens</i> | pungent glossopetalon | Vascular Plant | Crossosomataceae | BLM Sensitive | Known on BLM lands |
| <i>Gratiola heterosepala</i> | Boggs Lake hedge-hyssop | Vascular Plant | Plantaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Grindelia fraxinipratensis</i> | Ash Meadows gum-plant | Vascular Plant | Asteraceae | Federal Threatened | Known on BLM lands |
| <i>Gymnopilus punctifolius</i> | 'blue-green gymnopilus' | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| <i>Harmonia doris-nilesiae</i> | Niles's harmonia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Harmonia hallii</i> | Hall's harmonia | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Harmonia stebbinsii</i> | Stebbins's harmonia | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Hazardia orcuttii</i> | Orcutt's Hazardia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Helianthella castanea</i> | Diablo rock-rose | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Helianthus niveus</i> subsp. <i>tephrodes</i> | Algodones Dunes sunflower | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Hesperervax sparsiflora</i> subsp. <i>brevifolia</i> | short-leaved evax | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Hesperidanthus jaegeri</i> | Jaeger's caulostramina | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Hesperocyparis forbesii</i> | Tecate cypress | Vascular Plant | Cupressaceae | BLM Sensitive | Known on BLM lands |
| <i>Hesperocyparis nevadensis</i> | Piute cypress | Vascular Plant | Cupressaceae | BLM Sensitive | Known on BLM lands |
| <i>Hesperolinon adenophyllum</i> | glandular western flax | Vascular Plant | Linaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|-------------------------------------|----------------------------|----------------|------------------|--------------------|----------------------------------|
| Hesperolinon breweri | Brewer's dwarf flax | Vascular Plant | Linaceae | BLM Sensitive | Suspected on BLM lands |
| Hesperolinon didymocarpum | Lake County dwarf flax | Vascular Plant | Linaceae | BLM Sensitive | Suspected on BLM lands |
| Hesperolinon drymarioides | drymaria-like western flax | Vascular Plant | Linaceae | BLM Sensitive | Known on BLM lands |
| Hesperolinon serpentinum | Napa western flax | Vascular Plant | Linaceae | BLM Sensitive | Known on BLM lands |
| Hesperolinon tehamense | Tehama County western flax | Vascular Plant | Linaceae | BLM Sensitive | Known on BLM lands |
| Heterodermia leucomelos | ciliate strap-lichen | Lichen | Physciaceae | BLM Sensitive | Known on BLM lands |
| Heterotheca shevockii | Shevock's golden-aster | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Horkelia hendersonii | Henderson's horkelia | Vascular Plant | Rosaceae | BLM Sensitive | Suspected on BLM lands |
| Horkelia parryi | Parry's horkelia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Horkelia tenuiloba | thin-lobed horkelia | Vascular Plant | Rosaceae | BLM Sensitive | Suspected on BLM lands |
| Hydropus marginellus | 'little brown mushroom' | Fungus | Tricholomataceae | BLM Sensitive | Known on BLM lands |
| Iris munzii | Munz's iris | Vascular Plant | Iridaceae | BLM Sensitive | Suspected on BLM lands |
| Ivesia aperta var. aperta | Sierra Valley ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Ivesia jaegeri | Jaeger's ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Ivesia kingii var. kingii | alkali ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Ivesia longibracteata | Castle Crags ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Suspected on BLM lands |
| Ivesia paniculata | Ash Creek ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Ivesia patellifera | Kingston Mtns. ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Ivesia pickeringii | Pickering's ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Suspected on BLM lands |
| Ivesia rhypara var. rhypara | grimy ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Ivesia sericoleuca | Plumas ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Suspected on BLM lands |
| Ivesia webberi | Webber's ivesia | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Juncus leiospermus var. leiospermus | Red Bluff dwarf rush | Vascular Plant | Juncaceae | BLM Sensitive | Known on BLM lands |
| Kaernefeltia californica | seaside thornbush | Lichen | Parmeliaceae | BLM Sensitive | Known on BLM lands |
| Lasthenia conjugens | Contra Costa goldfields | Vascular Plant | Asteraceae | Federal Endangered | Known on BLM lands |
| Lasthenia glabrata subsp. coulteri | Coulter's goldfields | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Layia carnosa | beach layia | Vascular Plant | Asteraceae | Federal Endangered | Known on BLM lands |
| Layia discoidea | rayless tidytips | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Layia heterotricha | pale-yellow layia | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Layia jonesii | Jones' layia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Layia leucopappa | Comanche Point layia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Layia munzii | Munz's tidy-tips | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Layia septentrionalis | Colusa layia | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Legenere limosa | legenere | Vascular Plant | Campanulaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|---------------------------------------|----------------|-----------------|--------------------|----------------------------------|
| Lepechinia ganderi | Gander's pitcher-sage | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Lepidium flavum var. felipense | Borrego Valley pepper-grass | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| Lepidium jaredii subsp. album | Panoche pepper-grass | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| Lepidium jaredii subsp. jaredii | Jared's pepper-grass | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| Leptosiphon nuttallii subsp. howellii | Mt. Tedoc linanthus | Vascular Plant | Polemoniaceae | BLM Sensitive | Suspected on BLM lands |
| Leptosyne hamiltonii | Mt. Hamilton coreopsis | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Leucogaster citrinus | 'yellow false truffle' | Fungus | Leucogastraceae | BLM Sensitive | Known on BLM lands |
| Lewisia cantelovii | Cantelow's lewisia | Vascular Plant | Portulacaceae | BLM Sensitive | Known on BLM lands |
| Lewisia congdonii | Congdon's lewisia | Vascular Plant | Portulacaceae | BLM Sensitive | Suspected on BLM lands |
| Lewisia cotyledon var. heckneri | Heckner's lewisia | Vascular Plant | Portulacaceae | BLM Sensitive | Known on BLM lands |
| Lilium occidentale | western lily | Vascular Plant | Liliaceae | Federal Endangered | Suspected on BLM lands |
| Limnanthes bakeri | Baker's meadowfoam | Vascular Plant | Limnanthaceae | BLM Sensitive | Suspected on BLM lands |
| Limnanthes floccosa subsp. bellingeriana | Bellinger's meadowfoam | Vascular Plant | Limnanthaceae | BLM Sensitive | Suspected on BLM lands |
| Limnanthes floccosa subsp. californica | Butte County meadowfoam | Vascular Plant | Limnanthaceae | Federal Endangered | Suspected on BLM lands |
| Limnanthes gracilis subsp. parishii | Cuyamaca meadowfoam | Vascular Plant | Limnanthaceae | BLM Sensitive | Suspected on BLM lands |
| Linanthus maculatus | Little San Bernardino Mtns. linanthus | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Linanthus orcuttii | Orcutt's linanthus | Vascular Plant | Polemoniaceae | BLM Sensitive | Suspected on BLM lands |
| Lobaria oregana | Oregon lettuce lung | Lichen | Lobariaceae | BLM Sensitive | Known on BLM lands |
| Loeflingia squarrosa var. artemisiarum | Sagebrush loeflingia | Vascular Plant | Caryophyllaceae | BLM Sensitive | Known on BLM lands |
| Lomatium congdonii | Congdon's lomatium | Vascular Plant | Apiaceae | BLM Sensitive | Known on BLM lands |
| Lomatium roseanum | adobe lomatium | Vascular Plant | Apiaceae | BLM Sensitive | Known on BLM lands |
| Lomatium shevockii | Owens Peak lomatium | Vascular Plant | Apiaceae | BLM Sensitive | Known on BLM lands |
| Lupinus citrinus var. citrinus | orange lupine | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| Lupinus citrinus var. deflexus | Mariposa lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus duranii | Mono Lake lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus excubitus var. medius | Mountain Springs bush lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus ludovicianus | San Luis Obispo County lupine | Vascular Plant | Fabaceae | BLM Sensitive | Suspected on BLM lands |
| Lupinus magnificus var. hesperius | McGee Meadows lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus magnificus var. magnificus | Panamint Mtns. lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus sericatus | Cobb Mountain lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus spectabilis | shaggyhair lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Lupinus uncialis | lilliput lupine | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Madia radiata | showy madia | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Malacothamnus aboriginum | Indian Valley bush mallow | Vascular Plant | Malvaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|------------------------------|----------------|------------------|--------------------|----------------------------------|
| Malacothamnus palmeri var. involucratus | Carmel Valley bush-mallow | Vascular Plant | Malvaceae | BLM Sensitive | Known on BLM lands |
| Malacothamnus palmeri var. lucianus | Arroyo Seco bush-mallow | Vascular Plant | Malvaceae | BLM Sensitive | Known on BLM lands |
| Malacothrix saxatilis var. arachnoidea | Carmel Valley malacothrix | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| Mentzelia inyoensis | Inyo blazing star | Vascular Plant | Loasaceae | BLM Sensitive | Known on BLM lands |
| Mentzelia polita | polished blazing star | Vascular Plant | Loasaceae | BLM Sensitive | Known on BLM lands |
| Mentzelia tridentata | creamy blazing star | Vascular Plant | Loasaceae | BLM Sensitive | Suspected on BLM lands |
| Mimulus evanescens | ephemeral monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Mimulus filicaulis | slender-stemmed monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Mimulus gracilipes | slender-stalked monkerflower | Vascular Plant | Phrymaceae | BLM Sensitive | Suspected on BLM lands |
| Mimulus mohavensis | Mojave monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Mimulus norrisii | Kaweah monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Mimulus pictus | Calico monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Mimulus pulchellus | pansy monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Mimulus shevockii | Kelso Creek monkeyflower | Vascular Plant | Phrymaceae | BLM Sensitive | Known on BLM lands |
| Minuartia howellii | Howell's sandwort | Vascular Plant | Caryophyllaceae | BLM Sensitive | Suspected on BLM lands |
| Minuartia stolonifera | Scott Mtn. sandwort | Vascular Plant | Caryophyllaceae | BLM Sensitive | Suspected on BLM lands |
| Monardella beneolens | sweet-smelling monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Monardella linoides subsp. oblonga | Tehachapi monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Suspected on BLM lands |
| Monardella robisonii | Robison monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Monardella stoneana | Jennifer's monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Monardella undulata subsp. crispa | crisp monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Monardella undulata subsp. undulata | San Luis Obispo monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Suspected on BLM lands |
| Monardella venosa | veiny monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Suspected on BLM lands |
| Monardella villosa subsp. globosa | Robust monardella | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Monardella viminea | willowy monardella | Vascular Plant | Lamiaceae | Federal Endangered | Known on BLM lands |
| Monolopia congdonii | San Joaquin woolly threads | Vascular Plant | Asteraceae | Federal Endangered | Known on BLM lands |
| Mycena quinaultensis | 'little brown mushroom' | Fungus | Tricholomataceae | BLM Sensitive | Known on BLM lands |
| Navarretia leucocephala subsp. bakeri | Baker's navarretia | Vascular Plant | Polemoniaceae | BLM Sensitive | Suspected on BLM lands |
| Navarretia nigelliformis subsp. radians | shining navarretia | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Navarretia setiloba | Piute Mountains navarretia | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Nemacladus twisselmannii | Twisselmann's nemacladus | Vascular Plant | Campanulaceae | BLM Sensitive | Suspected on BLM lands |
| Neviusia cliftonii | Shasta snow-wreath | Vascular Plant | Rosaceae | BLM Sensitive | Suspected on BLM lands |
| Nitrophila mohavensis | Amargosa niterwort | Vascular Plant | Chenopodiaceae | Federal Endangered | Known on BLM lands |
| Nolina interrata | Dehesa nolina, bear grass | Vascular Plant | Ruscaceae | BLM Sensitive | Suspected on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|---------------------------------|----------------|----------------|--------------------|----------------------------------|
| <i>Oenothera wolfii</i> | Wolf's evening-primrose | Vascular Plant | Onagraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Opuntia basilaris</i> var. <i>brachyclada</i> | short-joint beavertail | Vascular Plant | Cactaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Opuntia basilaris</i> var. <i>treleasei</i> | Bakersfield cactus | Vascular Plant | Cactaceae | Federal Endangered | Suspected on BLM lands |
| <i>Orcuttia californica</i> | California orcutt grass | Vascular Plant | Poaceae | Federal Endangered | Suspected on BLM lands |
| <i>Orcuttia inaequalis</i> | San Joaquin Valley orcutt grass | Vascular Plant | Poaceae | Federal Threatened | Known on BLM lands |
| <i>Orcuttia pilosa</i> | hairy orcutt grass | Vascular Plant | Poaceae | Federal Endangered | Suspected on BLM lands |
| <i>Orcuttia tenuis</i> | slender orcutt grass | Vascular Plant | Poaceae | Federal Threatened | Known on BLM lands |
| <i>Oreostemma elatum</i> | tall alpine aster | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Orthocarpus pachystachyus</i> | Shasta orthocarpus | Vascular Plant | Orobanchaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Orthodontium gracile</i> | slender thread moss | Bryophyte | Bryaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Orthotrichum shevockii</i> | moss | Bryophyte | Bryaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Oryzopsis exigua</i> | little ricegrass | Vascular Plant | Poaceae | BLM Sensitive | Known on BLM lands |
| <i>Packera eurycephala</i> var. <i>lewisrosei</i> | cut-leaved ragwort | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Packera ganderi</i> | Gander's butterweed | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Packera layneae</i> | Layne's butterweed | Vascular Plant | Asteraceae | Federal Threatened | Known on BLM lands |
| <i>Palafoxia arida</i> var. <i>gigantea</i> | giant Spanish needle | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Panicum acuminatum</i> var. <i>thermale</i> | Geyser's panicum | Vascular Plant | Poaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Pannaria rubiginosa</i> | petaled mouse | Lichen | Pannariaceae | BLM Sensitive | Known on BLM lands |
| <i>Paronychia ahartii</i> | Ahart's paronychia | Vascular Plant | Carophyllaceae | BLM Sensitive | Known on BLM lands |
| <i>Pedicularis centranthera</i> | dwarf lousewort | Vascular Plant | Orobanchaceae | BLM Sensitive | Known on BLM lands |
| <i>Penstemon albomarginatus</i> | white-margined beardtongue | Vascular Plant | Plataginaceae | BLM Sensitive | Known on BLM lands |
| <i>Penstemon bicolor</i> subsp. <i>roseus</i> | rosy two-toned beardtongue | Vascular Plant | Plataginaceae | BLM Sensitive | Known on BLM lands |
| <i>Penstemon filiformis</i> | thread-leaved beardtongue | Vascular Plant | Plantaginaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Penstemon fruticiformis</i> var. <i>amargosae</i> | Death Valley beardtongue | Vascular Plant | Plantaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Penstemon janishiae</i> | Janish's beardtongue | Vascular Plant | Plantaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Penstemon personatus</i> | closed-throated beardtongue | Vascular Plant | Plantaginaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Penstemon stephensii</i> | Stephens' beardtongue | Vascular Plant | Plantaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Penstemon sudans</i> | Susanville beardtongue | Vascular Plant | Plantaginaceae | BLM Sensitive | Known on BLM lands |
| <i>Pentachaeta exilis</i> subsp. <i>aeolica</i> | slender pentachaeta | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Perityle inyoensis</i> | Inyo rock daisy | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Perityle villosa</i> | Hanaupah rock daisy | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Petalonyx thurberi</i> subsp. <i>gilmanii</i> | Death Valley sandpaper-plant | Vascular Plant | Loasaceae | BLM Sensitive | Known on BLM lands |
| <i>Phacelia cookei</i> | Cooke's phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Phacelia greenei</i> | Scott Valley phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|--|------------------------------------|----------------|----------------|--------------------|----------------------------------|
| Phacelia inundata | playa phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia inyoensis | Inyo phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia leonis | Siskiyou phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Suspected on BLM lands |
| Phacelia monoensis | Mono County phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia mustelina | Death Valley round-leaved phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia nashiana | Charlotte's phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia novenmillensis | Nine Mile Canyon phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia parishii | Parish's phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phacelia phacelioides | Mount Diablo phacelia | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Phaeocollybia californica | California phaeocollybia | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| Phaeocollybia olivacea | olive phaeocollybia | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| Phaeocollybia piceae | 'spruce phaeocollybia' | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| Phaeocollybia pseudofestiva | no common name | Fungus | Cortinariaceae | BLM Sensitive | Suspected on BLM lands |
| Phaeocollybia scatesiae | no common name | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| Phaeocollybia spadicea | spadicea phaeocollybia | Fungus | Cortinariaceae | BLM Sensitive | Known on BLM lands |
| Phlox hirsuta | Yreka phlox | Vascular Plant | Polemoniaceae | Federal Endangered | Suspected on BLM lands |
| Pholisma sonorae | sand food | Vascular Plant | Boraginaceae | BLM Sensitive | Known on BLM lands |
| Piperia candida | white-flowered rein orchid | Vascular Plant | Orchidaceae | BLM Sensitive | Suspected on BLM lands |
| Piperia yadonii | Yadon's rein orchid | Vascular Plant | Orchciaceae | Federal Endangered | Known on BLM lands |
| Plagiobothrys uncinatus | hooked popcorn-flower | Vascular Plant | Boraginaceae | BLM Sensitive | Suspected on BLM lands |
| Pleuropogon hooverianus | Hoover's semaphore grass | Vascular Plant | Poaceae | BLM Sensitive | Suspected on BLM lands |
| Poa diaboli | Diablo Canyon blue grass | Vascular Plant | Poaceae | BLM Sensitive | Suspected on BLM lands |
| Pogogyne nudiuscula | Otay mesa mint | Vascular Plant | Lamiaceae | Federal Endangered | Suspected on BLM lands |
| Polycstenium williamsiae | Williams's combleaf | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| Polygonum polygaloides subsp. esotericum | Modoc County knotweed | Vascular Plant | Polygonaceae | BLM Sensitive | Known on BLM lands |
| Polyozellus multiplex | blue chanterelle | Fungus | Thelephoraceae | BLM Sensitive | Suspected on BLM lands |
| Potentilla basaltica | Black Rock potentilla | Vascular Plant | Rosaceae | BLM Sensitive | Known on BLM lands |
| Pseudobahia bahiifolia | Hartweg's pseudobahia | Vascular Plant | Asteraceae | Federal Endangered | Suspected on BLM lands |
| Pseudobahia peirsonii | Tulare pseudobahia | Vascular Plant | Asteraceae | Federal Threatened | Suspected on BLM lands |
| Ptilidium californicum | Pacific fuzzwort | Bryophyte | Ptilidiaceae | BLM Sensitive | Known on BLM lands |
| Puccinellia howellii | Howell's alkali-grass | Vascular Plant | Poaceae | BLM Sensitive | Suspected on BLM lands |
| Puccinellia parishii | Parish's alkaligrass | Vascular Plant | Poaceae | BLM Sensitive | Suspected on BLM lands |
| Pyrrocoma lucida | sticky pyrrocoma | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Raillardella pringlei | showy raillardella | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|-----------------------------------|----------------|-----------------|--------------------|----------------------------------|
| Ramalina pollinaria | dusty ramalina | Lichen | Ramalinaceae | BLM Sensitive | Known on BLM lands |
| Ramaria amyloidea | 'pinkish coral mushroom' | Fungus | Ramariaceae | BLM Sensitive | Known on BLM lands |
| Ramaria aurantiisiccescens | 'yellow coral mushroom' | Fungus | Ramariaceae | BLM Sensitive | Known on BLM lands |
| Ramaria cyaneigranosa | 'pinkish coral mushroom' | Fungus | Ramariaceae | BLM Sensitive | Suspected on BLM lands |
| Ramaria largentii | 'orange coral mushroom' | Fungus | Ramariaceae | BLM Sensitive | Known on BLM lands |
| Rhynchospora californica | California beaked-rush | Vascular Plant | Cyperaceae | BLM Sensitive | Suspected on BLM lands |
| Ribes canthariforme | Moreno currant, San Diego currant | Vascular Plant | Grossulariaceae | BLM Sensitive | Suspected on BLM lands |
| Ribes tularensae | Sequoia gooseberry | Vascular Plant | Grossulariaceae | BLM Sensitive | Known on BLM lands |
| Rorippa columbiae | Columbia yellow cress | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| Rupertia hallii | Hall's rupertia | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| Sagittaria sanfordii | Sanford's arrowhead | Vascular Plant | Alismataceae | BLM Sensitive | Known on BLM lands |
| Saltugilia latimeri | Latimer's woodland-gilia | Vascular Plant | Polemoniaceae | BLM Sensitive | Known on BLM lands |
| Salvia greatae | Orocopia sage | Vascular Plant | Lamiaceae | BLM Sensitive | Known on BLM lands |
| Sanicula saxatilis | rock sanicle | Vascular Plant | Apiaceae | BLM Sensitive | Suspected on BLM lands |
| Sarcodon fuscoindicum | violet hedgehog | Fungus | Bankeraceae | BLM Sensitive | Known on BLM lands |
| Sedum albomarginatum | Feather River stonecrop | Vascular Plant | Crassulaceae | BLM Sensitive | Suspected on BLM lands |
| Sedum laxum subsp. eastwoodiae | Red Mountain stonecrop | Vascular Plant | Crassulaceae | BLM Sensitive | Known on BLM lands |
| Sedum obtusatum paradisum | Canyon Creek stonecrop | Vascular Plant | Crassulaceae | BLM Sensitive | Known on BLM lands |
| Senecio clevelandii var. heterophyllus | Red Hills ragwort | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| Sidalcea covillei | Owens Valley checkerbloom | Vascular Plant | Malvaceae | BLM Sensitive | Known on BLM lands |
| Sidalcea hickmanii subsp. anomala | Cuesta Pass checkerbloom | Vascular Plant | Malvaceae | BLM Sensitive | Suspected on BLM lands |
| Sidalcea hickmanii subsp. parishii | Parish's checkerbloom | Vascular Plant | Malvaceae | BLM Sensitive | Suspected on BLM lands |
| Sidalcea keckii | Keck's checkerbloom | Vascular Plant | Malvaceae | Federal Endangered | Known on BLM lands |
| Sidalcea malviflora subsp. patula | Siskiyou checkerbloom | Vascular Plant | Malvaceae | BLM Sensitive | Suspected on BLM lands |
| Sidalcea oregana subsp. eximia | coast checkerbloom | Vascular Plant | Malvaceae | BLM Sensitive | Suspected on BLM lands |
| Sidalcea robusta | Butte County checkerbloom | Vascular Plant | Malvaceae | BLM Sensitive | Known on BLM lands |
| Silene campanulata subsp. campanulata | Red Mountain campion | Vascular Plant | Caryophyllaceae | BLM Sensitive | Known on BLM lands |
| Silene occidentalis subsp. longistipitata | long-stiped campion | Vascular Plant | Caryophyllaceae | BLM Sensitive | Suspected on BLM lands |
| Smilax jamesii | English Peak greenbriar | Vascular Plant | Smilacaceae | BLM Sensitive | Suspected on BLM lands |
| Sowerbyella rhenana | stalked orange peel fungus | Fungus | Pyrenemataceae | BLM Sensitive | Suspected on BLM lands |
| Sparassis crispa | cauliflower mushroom | Fungus | Sparassidaceae | BLM Sensitive | Known on BLM lands |
| Spathularia flavida | fairy fan | Fungus | Cudoniaceae | BLM Sensitive | Known on BLM lands |
| Sphaeralcea rusbyi var. eremicola | Rusby's desert-mallow | Vascular Plant | Malvaceae | BLM Sensitive | Known on BLM lands |
| Stenotus lanuginosus | woolly stenotus | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |

| SCIENTIFIC NAME | COMMON NAME | TYPE OF PLANT | FAMILY | STATUS | KNOWN OR SUSPECTED ON BLM LANDS? |
|---|-------------------------------|----------------|-----------------|--------------------|----------------------------------|
| <i>Streptanthus albidus</i> subsp. <i>albidus</i> | Metcalf Canyon jewel-flower | Vascular Plant | Brassicaceae | Federal Endangered | Suspected on BLM lands |
| <i>Streptanthus brachiatus</i> subsp. <i>brachiatus</i> | Socrates Mine jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus brachiatus</i> subsp. <i>hoffmanii</i> | Freed's jewelflower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus callistus</i> | Mount Hamilton jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Streptanthus cordatus</i> var. <i>piutensis</i> | Piute Mountains jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus glandulosus</i> subsp. <i>hoffmannii</i> | Hoffmann's jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Streptanthus morrisonii</i> subsp. <i>elatus</i> | Three Peaks jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus morrisonii</i> subsp. <i>hirtiflorus</i> | Dorr's Cabin jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Streptanthus morrisonii</i> subsp. <i>kruckebergii</i> | Kruckeberg's jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus morrisonii</i> subsp. <i>morrisonii</i> | Morrison's jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus oliganthus</i> | Masonic Mountain jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Streptanthus vernalis</i> | early jewel-flower | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Stylocline citroleum</i> | oil neststraw | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Stylocline masonii</i> | Mason neststraw | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Symphyotrichum defoliatum</i> | San Bernardino aster | Vascular Plant | Asteraceae | BLM Sensitive | Suspected on BLM lands |
| <i>Teloschistes flavicans</i> | orangebush lichen | Lichen | Teloschistaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Tetracoccus dioicus</i> | Parry's tetracoccus | Vascular Plant | Euphorbiaceae | BLM Sensitive | Known on BLM lands |
| <i>Tetraphis geniculata</i> | bent-kneed four-tooth moss | Bryophyte | Tetraphidaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Thelypodium howellii</i> var. <i>howellii</i> | Howell's thelypodium | Vascular Plant | Brassicaceae | BLM Sensitive | Known on BLM lands |
| <i>Tortula californica</i> | moss | Bryophyte | Pottiaceae | BLM Sensitive | Suspected on BLM lands |
| <i>Trifolium buckwestiorum</i> | Santa Cruz clover | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| <i>Trifolium jokerstii</i> | Butte County golden clover | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| <i>Trifolium kingii</i> subsp. <i>dedeckerae</i> | DeDecker's clover | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| <i>Trifolium polyodon</i> | Pacific Grove clover | Vascular Plant | Fabaceae | BLM Sensitive | Known on BLM lands |
| <i>Tuctoria greenei</i> | Greene's orcutt grass | Vascular Plant | Poaceae | Federal Endangered | Suspected on BLM lands |
| <i>Usnea longissima</i> | long beard lichen | Lichen | Parmeliaceae | BLM Sensitive | Known on BLM lands |
| <i>Verbena californica</i> | Red Hills vervain | Vascular Plant | Verbenaceae | Federal Threatened | Known on BLM lands |
| <i>Vermilacinia cephalota</i> | powdery fog lichen | Lichen | Ramalinaceae | BLM Sensitive | Known on BLM lands |
| <i>Wyethia reticulata</i> | El Dorado mule ears | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Xylorhiza cognata</i> | Mecca-aster | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |
| <i>Xylorhiza orcuttii</i> | Orcutt's woody aster | Vascular Plant | Asteraceae | BLM Sensitive | Known on BLM lands |